



Safe, Clean Water Program Scoring Committee

Date Tuesday, September 14, 2021
Time 9:00 AM – 12:00 PM
Location WebEx Meeting – See below or [SCW website](#) for WebEx Meeting details

WebEx Meeting Details

Committee members and members of the public may participate by joining the WebEx Meeting below. Please refer to the [Video Conferencing Guidelines](#) available on the Safe, Clean Water website for additional information.

Join via WebEx Events (recommended)

Event number: 146 038 8420

Password: scwp

<https://lacountydpw.webex.com/lacountydpw/onstage/g.php?MTID=eca87d3d450decd93c9f492ee89499450>

Join by phone

+1-408-418-9388 United States Toll or

+1-213-306-3065 United States Toll (Los Angeles)

Access Code: Access code: 146 038 8420

Public Comment

Phone participants and the public are encouraged to submit public comments (or a request to make a public comment) to SafeCleanWaterLA@pw.lacounty.gov. All public comments will become part of the official record.

Please complete the [Comment Card Form](#) available on the Safe, Clean Water website and email to SafeCleanWaterLA@pw.lacounty.gov by at least 5:00pm the day prior to the meeting.

Para solicitudes de comentarios públicos en español, envíe un correo electrónico a SafeCleanWaterLA@pw.lacounty.gov o lláme al (833) 275-7297 dos días antes de la reunión para asegurarse de que haya un traductor presente para transmitir el comentario para consideración del comité.

Requests for accommodations may be made to SafeCleanWaterLA@pw.lacounty.gov or by telephone to 833-ASK-SCWP at least three working days in advance of the meeting.

Supporting documentation will be available on the Safe, Clean Water website at www.safecleanwaterla.org.

Agenda:

- 1) Welcome and Introductions
- 2) Approval of Meeting Minutes from August 3, 2021
- 3) Committee Member and District Updates
- 4) Public Comment Period for Non-Agenda Items
- 5) Discussion Items:
 - a) Ex Parte Communications Disclosure
 - b) Overview of Scoring Committee and [SCW Projects Module](#)
 - c) Scoring of Feasibility Studies ([SCW Program Portal](#))

WASC	Project Name	Phase(s)	Project Type	BMP Type	Total Capture Area	24hr Capacity
CSMB	Ladera Heights - W Centinela Ave Green Improvement	Design	Wet	Infiltration Well	306.69	16.99
LSGR	Stormwater Treatment and Reuse (STAR) System Hacienda Park (re-submittal w/ leveraged funds)	Planning, Design, Construction, O & M	Wet	Biofiltration	4.205	1.32
SSMB	Fulton Playfield Multi-Benefit Infiltration Project	Planning, Design, Construction, O & M	Wet	Infiltration Facility	464.5	32.47
ULAR	LA River Green Infrastructure Project	Planning, Design, Construction, O & M	Dry	Treatment Facility	9717	N/A

- d) Scoring Schedule for FY22-23 Infrastructure Program Projects
- 6) Public Comment Period for Agenda Items
- 7) Voting Items:

None

Requests for accommodations may be made to SafeCleanWaterLA@pw.lacounty.gov or by telephone to 833-ASK-SCWP at least three working days in advance of the meeting.

Supporting documentation will be available on the Safe, Clean Water website at www.safecleanwaterla.org.



8) Items for Next Agenda

ULAR	1	Acacia Avenue Storm Drain Infiltration Project
	2	Alexandria Park Stormwater Capture Project
	3	California Avenue and Adjacent Streets Stormwater Capture Project
	4	Jackson Elementary School Campus Greening and Stormwater Quality Improvement Project
	5	LAMC South Arroyo Improvement and Deep Underground Infiltration Project
	6	North Hollywood Park Stormwater Capture Project
	7	Watts Civic Center Serenity Greenway
	8	Whitsett Fields Park North Stormwater Capture Project
	9	Winery Canyon Channel and Descanso Gardens Stormwater Capture and Reuse Project

9) Adjournment

Next Meeting: Tuesday, October 5, 2021
1:00 PM – 3:00 PM
WebEx Meeting – See [SCW website](#) for meeting details

Requests for accommodations may be made to SafeCleanWaterLA@pw.lacounty.gov or by telephone to 833-ASK-SCWP at least three working days in advance of the meeting.

Supporting documentation will be available on the Safe, Clean Water website at www.safecleanwaterla.org.